## The following items are NOT stock items. However, we can have them at our shop usually within 1 - 2 Business Days. Please call if you have any questions.

## Prices are subject to change whithout notice.

Photo	Description	Model #	Price
	Bostitch 1 1/2" Metal Connector Nailer  •Compact design fits between 12" O.C. joists  •Low nail lockout prevents dry fires  •Exclusive safety system prevents misfires  •Exposed nail tip design fires in the hole for faster, more precise nailing  •Drives 1-1/2" paper tape collated metal connector nails (.131"148" diameter)	MCN150	\$229.45
	Bostitch 2 1/2" Metal Connector Nailer Strapshot  •Exposed nail tip places fastener point directly into connector holes for a faster, more precise application  •In-line magazine offers improved balance for added maneuverability  •Adjustable rafter hook allows user to hang tool on rafters and joists  •Exclusive nail management feature helps to prevent jamming (patent pending)  •Drives 1-1/2" and 2-1/2" STRAPSHOT™ fasteners as well as other paper tape collated metal connector nails	MCN250	\$346.40
	Bostitch 15GA DA Finish Nailer  •LED work light  •Selectable trigger with safety lock-out  •Oil-free operation, rear trip design for clear line-of-sight and dial-a-depth adjustment for precise fastener placement	DA1564K	\$169.45
	Bostitch 18GA Brad Nailer 2 1/8"  Oil-free operation requires no regular maintenance and eliminates the risk of oil stains  Selectable trigger system converts from sequential to contact operation  Low nail lockout prevents dry firing  Swivel air fitting with internal filter improves maneuverability  Ultra-quiet rear exhaust with muffler directs air away from the user  Reversible belt hook with integrated pencil sharpener  Dial-A-Depth™ control for precise countersinking  Lightweight magnesium design for added durability  Includes: 1/4" swivel fitting, (1,000) 2" brads, carrying case, hex wrench, and belt hook	BT1855K	\$100.30
	Bostitch Cap Nailer  •Tool-free "Dial-A-Depth" adjustment sets nails to desired depths quickly and conveniently  •Lightweight magnesium design for added durability  •Quick-load magazine feature provides fast and easy loading of caps and nails  •Tool-free adjustable exhaust conveniently directs exhaust away from the user	N66BC-1	\$328.95
	Bostitch Coil Roofing Nailer  Lightweight magnesium housing for job site durability Aggressive wear guards and skid resistant pads Carbide Inserts in tip for long life Dry-fire lockout; Does not fire when empty Patented single action side load canister 410 in-lbs. of driving energy for the hardest of applications Quick-set adjustable depth control for consistent nail drives Over molded grip for comfortable use Shingle guide that requires no tools to adjust for fast layouts Full round driver for more consistent drive quality	RN46-1	\$242.35

Photo	Description	Model #	Price
	Bostitch Coil Sheathing Nailer  •Perfect for high-volume nailing of wall and roof sheathing •Drives 15° wire weld collated and plastic inserted nails with shank diameters of .090"131" •Lightweight aluminum design for added durability •Adjustable depth guide sets nails to desired depths quickly and conveniently	N75C-1	\$302.40
	Bostitch Coil Siding Nailer  •Lightweight aluminum housing for jobsite durability  •Adjustable depth of drive for precise countersink control  •Accepts wire welded and plastic inserted coil nails  •Soft rubber foot helps prevent damage to softer woods  •Adjustable exhaust directs air away from the user	N66C-1	\$302.40
	Bostitch Industrial Hi Power Coil Framing Nailer  •Lightweight magnesium design for added durability  •Patented push button adjustable depth guide sets nail to desired depths quickly and conveniently  •Coil magazine holds up to 300 nails for high production applications	N89C-1	\$287.15
	Bostitch Industrial Jam-Free Roofing Stapler  Lightweight, durable aluminum frame Patented Jam-Free magazine Power control valve adjusts power by 30% Molded rubber comfort grip designed to last longer Reduced height for stapling in tight areas Adjustable depth control prevents over penetration of staple Rear exhaust conveniently directs exhaust away from user and work surface High capacity, top load magazine decreases reload time Carbide trip contact surface Hardened steel nose with carbide inserts resists wear	438S2R-1	\$441.20
<u></u>	Bostitch Low Profile Framing Nailer     Low profile for nailing in-between rafters and tight spaces     Tool-free selectable trigger allows for single-drive or multi-drive with a flip of a switch     Tool-free depth of drive adjustment designed for the precision of sinking fasteners     Adjustable rafter hook designed so end-user can have an extra hand free when needed	LPF28WW	\$225.35
	Bostitch Low-Profile Plastic Collated Framing Nailer  Low profile design for getting in between rafters & tight spaces  Tool-free selectable trigger allows for single drive or multi drive mode with the flip of a switch lbs of power drives 3-1/4" x .120 nails into lvl beam at 100 PSI  Tool-free depth of drive adjustment designed for precise sinking of fasteners  Adjustable rafter hook & last nail retention magnet	LPF21PL	\$225.35
	Bostitch Paper Collated Framing System  •Two nailers in one: includes two quick change nosepieces to convert tool to either framing or metal connector applications •Includes factory installed sequential trigger and exclusive Smart Trigger •Patented push button adjustable depth guide sets nails to desired depths •Lightweight magnesium design for added durability •Drives 1-1/2" STRAPSHOT™ fasteners as well as all other 1-1/2" and 2-1/2" metal connector nails (.131"162" diameter)	F33PT	\$230.20
	Bostitch Plastic Collated Framing System Includes factory installed sequential trigger and exclusive Smart Trigger Patented push button adjustable depth guide sets nails to desired depths Lightweight magnesium design for added durability Drives plastic collated 1-1/2" and 2-1/2" metal connector nails (.131"148" diameter)	F21PL	\$230.20

•28° wire collated stick framing nail

and N88WW

S16D131-FH

\$45.19

nail placement through small nose footprint ee operation - eliminated rish of oil stains free jam release mechanism for ease of nail removal A-Depth control for precise countersinking of fasteners el air fitting, Internal air filter, Rear exhaust, Belt hook, Integrated pencil sharpener  itch Strapshot Metal Connector Nailer sed nail tip places fastener point directly into connector holes for a faster, more precise application stable rafter hook allows user to hang tool on rafters and joints e magazine offers improved balance for added maneuverability sive nail management feature helps to prevents jamming (patent pending) s 1-1/2" and 2-1/2" STRAPSHOT™ fasteners as well as other paper tape collated metal connector hort magazine  itch Utility Coil Nailer magazine holds up to 300 nails for high production applications copen composite canisters survives falls essive toe-nailing teeth grip lumber for slip-free nailing	BTFP71917 MCN250S	\$166.90 \$346.40
nail placement through small nose footprint ee operation - eliminated rish of oil stains free jam release mechanism for ease of nail removal A-Depth control for precise countersinking of fasteners el air fitting, Internal air filter, Rear exhaust, Belt hook, Integrated pencil sharpener  itch Strapshot Metal Connector Nailer sed nail tip places fastener point directly into connector holes for a faster, more precise application stable rafter hook allows user to hang tool on rafters and joints e magazine offers improved balance for added maneuverability sive nail management feature helps to prevents jamming (patent pending) s 1-1/2" and 2-1/2" STRAPSHOT™ fasteners as well as other paper tape collated metal connector hort magazine  itch Utility Coil Nailer magazine holds up to 300 nails for high production applications copen composite canisters survives falls	MCN250S	
sed nail tip places fastener point directly into connector holes for a faster, more precise application stable rafter hook allows user to hang tool on rafters and joints e magazine offers improved balance for added maneuverability sive nail management feature helps to prevents jamming (patent pending) s 1-1/2" and 2-1/2" STRAPSHOT™ fasteners as well as other paper tape collated metal connector hort magazine  itch Utility Coil Nailer  magazine holds up to 300 nails for high production applications copen composite canisters survives falls		\$346.40
nagazine holds up to 300 nails for high production applications open composite canisters survives falls		
c-open composite canisters survives falls		
9 9,	N80CB-1	\$284.1
itch Wire Collated Framing Nailer		
nted push button adjustable depth guide sets nail to desired depths quickly and conveniently des factory installed sequential trigger and exclusive Smart Trigger ned 16" layout indicator on magazine helps achieve correct distance between studs in a matter of ds weight magnesium design for added durability	F28WW	\$225.3
itch 6 Gallon 150PSI Pro Grade Pancake Compressor		
al/ 2.6 SDFM, high efficiency 33lb compressor noise only 80dBA for a quiet work environment universal couplers on removable console with cord wrap	BTFP02011	\$195.4
itch Trim Air Compressor		
allon suitcase style compressor. 2.0 SCFM delivered at 90 psi, 150 max psi enables many nails to be vith quick recovery ble oil free pump provides extended maintenance free operation 32 dba allows for quiet operation. Roll cage and control panel provide protection to key compressor brents to the high efficiency/low amp motor for easy start up in cold weather or extension cord application (12 (15.2 m) or less). Lightweight (32 lbs), thin (12") and compact design is easy to carry and store be run in either vertical (higher pick-up) or horizontal position (low CG) alve drain allows for quick and thorough tank draining quick couplers to easily support 2 nailers. Bostitch high flow regulator and couplers to maximize nailer mance	BTFP01012	\$177.9
	des factory installed sequential trigger and exclusive Smart Trigger and 16" layout indicator on magazine helps achieve correct distance between studs in a matter of als weight magnesium design for added durability  atch 6 Gallon 150PSI Pro Grade Pancake Compressor al/ 2.6 SDFM, high efficiency 33lb compressor aloise only 80dBA for a quiet work environment universal couplers on removable console with cord wrap  allon suitcase style compressor allon suitcase style compressor. 2.0 SCFM delivered at 90 psi, 150 max psi enables many nails to be arith quick recovery allon oil free pump provides extended maintenance free operation also data allows for quiet operation. Roll cage and control panel provide protection to key compressor anents arch high efficiency/low amp motor for easy start up in cold weather or extension cord application (12 also allows for quiet operation (12 los), thin (12") and compact design is easy to carry and store are run in either vertical (higher pick-up) or horizontal position (low CG) alve drain allows for quick and thorough tank draining applick couplers to easily support 2 nailers. Bostitch high flow regulator and couplers to maximize nailer	tes factory installed sequential trigger and exclusive Smart Trigger and ed 16" layout indicator on magazine helps achieve correct distance between studs in a matter of its weight magnesium design for added durability  itch 6 Gallon 150PSI Pro Grade Pancake Compressor and 2.6 SDFM, high efficiency 33lb compressor allose only 80dBA for a quiet work environment universal couplers on removable console with cord wrap  itch Trim Air Compressor allon suitcase style compressor. 2.0 SCFM delivered at 90 psi, 150 max psi enables many nails to be with quick recovery allon suitcase style compressor. 2.0 SCFM delivered at 90 psi, 150 max psi enables many nails to be with quick recovery allon suitcase and control panel provide protection to key compressor ments and allows for quiet operation. Roll cage and control panel provide protection to key compressor ments are the high efficiency/low amp motor for easy start up in cold weather or extension cord application (12 (15.2 m) or less). Lightweight (32 lbs), thin (12") and compact design is easy to carry and store are run in either vertical (higher pick-up) or horizontal position (low CG) alve drain allows for quick and thorough tank draining quick couplers to easily support 2 nailers. Bostitch high flow regulator and couplers to maximize nailer mance

•For use in Bostitch N80SB, N88WWB, N16, N80s, N85S, N86S (6D-16D), N70S (6D-10D), N100S (6D-20D),

		,	
Photo	Description	Model #	Price
	Bostitch 8D 2-1/2" Thk Ct Galv PL Shank Nails 2M  1•28° wire collated stick framing nail  •For use in Bostitch N80SB, N88WWB, N16, N80s, N85S, N86S (6D-16D), N70S (6D-10D), N100S (6D-20D), and N88WW	S8DGAL-FH	\$45.39
<u> </u>	Bostitich 1.5 x .131 PT MCN Nail 1M  Paper tape collated metal connector nails  Used on Gun F33PT	PT-MC13115-1M	\$31.79
	Bostitch 1.5 X .131 PT MCN NAIL GAL 1M		
Januarian Januar	•Full Round Head - Identified •Bend yield = 100,000 PSI •For Metal Connector Applications	PT-MC13115G-1M	\$40.25
1300 4	Bostitch 12D 3-1/4" .120 THK CT GALV SCREW SHANK NAILS 2M  •28° wire collated stick framing nail  •For use in Bostitch N80SB, N88WWB, N16, N80s, N85S, N86S (6D-16D), N70S (6D-10D), N100S (6D-20D), and N88WW	S12DSGAL-FH	\$63.25
	Bostitch 8D 2-3/8" THK CT RING SHANK GALV STICK NAILS 2M		
	•28° wire collated stick framing nail •For use in Bostitch N80SB, N88WWB, N16, N80s, N85S, N86S (6D-16D), N70S (6D-10D), N100S (6D-20D), and N88WW	S8DRGAL-FH	\$46.85
The state of the s	Bostitch 8D 2-3/8" RING FULL HEAD WIRE WELD STICK FRAMING NAIL 2M		
	•28° wire collated stick framing nail •For use in Bostitch N80SB, N88WWB, N16, N80s, N85S, N86S (6D-16D), N70S (6D-10D), N100S (6D-20D), and N88WW	S8DR-FH	\$28.85
	Bostitch 8D 2-1/2" PLN FULL HEAD WIRE WELD STICK FRAMING NAIL 2M		
Thomas and the same of the sam	•28° wire collated stick framing nail •For use in Bostitch N80SB, N88WWB, N16, N80s, N85S, N86S (6D-16D), N70S (6D-10D), N100S (6D-20D), and N88WW	S8D-FH	\$24.90